



**KAPCI**  
**COATINGS**

Wood Coatings

[www.kapci.com](http://www.kapci.com)

09

# Kapci 2001 NC Gloss Clearcoat

## 1- Product properties

Kapci 2001 is a transparent nitrocellulose clearcoat with excellent coverage, leveling, high gloss and good softness to touch. Kapci 2001 is suitable for indoor applications and can be applied over different types of basecoat.

<b>Viscosity</b>	20-22 Pas at 25°C
<b>Density</b>	0.95 ± 0.02 g/cm <sup>3</sup>
<b>Solid Content</b>	41 ± 2%
<b>Coverage</b>	6 – 8 m <sup>2</sup> /kg

## 2- Products for application

Kapci 2001 NC Gloss Clearcoat  
Kapci 525 NC Thinner

## 3- Suitable substrate and surface preparation

It is suitable for application over almost any type of basecoat to obtain high gloss transparent topcoat.

## 4- Method of application

By spray or by curtain coater, thinned with Kapci 525 up to maximum 100% to reach correct application viscosity.

Kapci 2001 can be applied in more than one coat. The maximum quantity to apply is 150 g/m<sup>2</sup> per coat.

## 5- Drying at 25°C

<b>Dust Free</b>	30 min
<b>Complete dry</b>	4-6 hrs

## 6- Color

Transparent dark / Transparent light.

## 7- Expiry

3 years from production date in original container at normal temperature.

## 8- Material safety data

When use these products it is required to comply with the national regulations for health and safety.

Wood  
Coatings