



KAPCI
COATINGS

Wood Coatings

www.kapci.com

09

Kapci 2001 NC Gloss Clearcoat

1- Product properties

Kapci 2001 is a transparent nitrocellulose clearcoat with excellent coverage, leveling, high gloss and good softness to touch. Kapci 2001 is suitable for indoor applications and can be applied over different types of basecoat.

Viscosity	20-22 Pas at 25°C
Density	0.95 ± 0.02 g/cm ³
Solid Content	41 ± 2%
Coverage	6 – 8 m ² /kg

2- Products for application

Kapci 2001 NC Gloss Clearcoat
Kapci 525 NC Thinner

3- Suitable substrate and surface preparation

It is suitable for application over almost any type of basecoat to obtain high gloss transparent topcoat.

4- Method of application

By spray or by curtain coater, thinned with Kapci 525 up to maximum 100% to reach correct application viscosity.

Kapci 2001 can be applied in more than one coat. The maximum quantity to apply is 150 g/m² per coat.

5- Drying at 25°C

Dust Free	30 min
Complete dry	4-6 hrs

6- Color

Transparent dark / Transparent light.

7- Expiry

3 years from production date in original container at normal temperature.

8- Material safety data

When use these products it is required to comply with the national regulations for health and safety.

Wood
Coatings